60-211-4100-61

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

IONAL REGISTER OF HISTORIC PLACES

6-1	7-77		1
FOR NPS USE ONLY		- Calendary	100
RECEIVED			
DATE ENTERED			

0551	NOTOLIONIONO IN LIGUE		DE0/0750 50 DIA	
SEET		<i>TO COMPLETE NATIONAL :</i> COMPLETE APPLICABLE S		S
I NAME		ening of open upa		
HISTORIC				•
Control of the Contro	agland House			
AND/OR COMMON				
2 LOCATION	I			
STREET & NUMBER				
	617 Center		_NOT FOR PUBLICATION	
CITY, TOWN			CONGRESSIONAL DISTR	NICT
L	ittle Rock,	. VICINITY OF	Second	
STATE		CODE	COUNTY	CODE
A	rkansas	05	Pulaski	119
3 CLASSIFIC	ATION		· ·	
CATEGORY	OWNERSHIP	STATUS	PRES	ENTUSE
DISTRICT	PUBLIC	Ϫ OCCUPIED	AGRICULTURE	MUSEUM '
$\mathbf{X}_{BUILDING(S)}$	X PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
SYMUCTURE	<u>_вотн</u>	WORK IN PROGRESS	EDUCATIONAL	XPRIVATE RESIDENC
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	
_OBJECT	IN PROCESS	∑YES: RESTRICTED	GOVERNMENT	SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	_TRANSPORTATION
		_NO 11,1240,5145	#MILITARY: 1000	C_OTHER:
OWNER OF	PROPERTY	garagarang s	கருச்பு2B அது அறும்	:
	<u> </u>	Name of the Control o		•
NAME O	tis E. & Wanda L. Ham	ilton on II ta taben	roden i DA vistori	
STREET & NUMBER				
	617 Center Street		(数数数 でした)	
CITY, TOWN			STATE	
L	ittle Rock,	VICINITY OF	Arkansas	
LOCATION	OF LEGAL DESCR	RIPTION		
COURTHOUSE,	^{हाट} Circuit Clerk's Of			
STREET & NUMBER				
SINCE A NOWIDER	Pulaski County Cou	rthouse		
CITY, TOWN		12, 16, 16, 16, 17, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	STATE	
	Little Rock,	An There is not	Arkansas	
REPRESEN	TATION IN EXIST	ING SURVEYS	Control Folia in 1981	
	1111101411421101			
TITLE				
DATE				
	_	FEDERALSTATE	ECOUNTYLOCAL	
DEPOSITORY FOR				1**
SURVEY RECORDS				
CITY TOWN			STATE	



CONDITION

. CHECK ONE

CHECK ONE

__EXCELLENT

__DETERIORATED

XALTERED

__UNALTERED

XORIGINAL SITE
__MOVED DATE____

X.GOOD _FAIR

__UNEXPOSED

_RUINS

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Ragland House, located in Little Rock's historic Quapaw Quarter district, was constructed in 1891-92 by architect, Charles L. Thompson. The house presents characteristics of Queen Anne architecture in its collection of Victorian elements. Dominant features of the house include a corner tower, variety of textural usage, bay windows, stained glass and ornamental woodwork.

Of frame construction, the Ragland House rests on a brick foundation and is topped by a multi-gable high-hipped slate roof. Four brick chimneys with corbelling and geometric patterns rise from the roofline of the house. The irregular-shaped house is sheathed in clapboard siding on the first floor level of the main wing. Clapboard siding covers both stories of the east wing. The second storey of the main wing is sheathed in alternating rows of shingles laid with staggered butts. A belt course runs around the main wing of the house directly beneath the second-story windows. The gable ends of this main section of the house are covered in waffle-patterned stick work.

The most outstanding feature of the Ragland House is a corner-tower located on the southeast corner. This two-story tower is capped by a bell-cast roof with a finial. A brick chimney marks the south side of the tower. Facing west on the tower on both the first and second story levels is a set of three double-hung curved windows separated by fluted mullions. These windows are topped by a horizontal leaded stained-glass transom. Located on the cornice of the tower is a pattern of Doric-capital pilasters regularly spaced with decorative circle moldings.

The facade (west elevation) of the Ragland House features a gable end on the north end covered in waffle patterned stickwork surrounding a large semi-circular window of leaded stained glass in geometric patterns. A wide double-hung window flanked on either gide by narrow double-hung windows are found at the second story level under the gable end. At the first floor level is a wide single light window topped by a stained glass horizontal transom. Narrow double-hung windows flank either side of this window. Below these windows is a narrow horizontal center section of vertical flushboard flanked by small sections of diagonal flushboard. The gable and the first and second story windows are found in a slightly projected bay.

A one-story portico beginning in the center of the facade circles around the southwest corner to the south elevation. This portico is supported by delicately turned posts with decorative brackets. Beneath the cornice of the portico runs a band of small square balluster-like posts. A railing with square vertical and horizontal balusters runs around the porch. Form No. 10-300a (Rev. 10-74)

ì

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY	
RECEIVED	
DATE ENTERED	

TIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

CONTINUATION SHEET '

ITEM NUMBER 7 PAGE 1

In the center of the second story of the facade is a small portico covered by a shed-roof-like extension of the center hipped roof. Turned bracketed posts and square balluster-like posts under the cornice are featured on this small portico. A railing with square vertical and horizontal posts runs around the portico.

The dominant feature of the south elevation is a two story projection. A brick chimney with geometric designs runs up the center of the projection. The gable end is covered in waffle-patterned stick work. Double-hung single-light shuttered windows flank either side of the chimney on both first and second story levels. The east end of the south elevation is covered in clapboard siding and features a two-over-two-light double-hung shuttered window at both first and second story levels. Three small double-hung windows are found irregularly spaced on this section of the house. Two four-light windows with arched wooden heads are found at the basement level.

The east elevation features a two-story portico with a basement. The original lattice remains around the first floor portico while a portion of the second story portico has been enclosed.

The south elevation of the Ragland House is dominated by a two-story gable bay. Waffle-patterned stick work covers the gable end. A pair of double-hung windows is found at the second story level. The first floor of the bay is three sided featuring a double-hung shuttered window on each side.

The irregular-shaped Ragland House contains eleven rooms. Most of the original features of the house remain intact such as the brass door hinges. All windows have metal bases and screens fixed to go inside. The house is heated by radiator but contains seven intact fireplaces. A wine cellar in the basement features a safe door with a patent date of 1921. At one time the house contained an elevator.

Although complex in exterior shape, the Ragland House is basically a central hall plan. The original hardwood woodwork is found throughout the house in mantels, floors, doors, wainscotting, baseboards and window and door trim. All seven fireplace mantels are unique in design. The mantel in the south parlor is of decoratively designed birds-eye maple. The doors feature an unusual design in their panelling. An open well two-run stairway rises to the second floor from the central hall.

Form No. 10-300a (Hev. 10-74)

. UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

are found in the house.

DATE ENTERED

CONTINUATION SHEET

ITEM NUMBER

PAGE

The stairway features an ornamental newel post and turned ballusters. Several of the original light fixtures wired for gas and electricity

2

The Ragland House remains in much its original condition. The only alterations of which the present owner is aware are the enclosure of a butler's pantry and the enclosure of part of the second story portico on the east elevation.

The Ragland House rests in good condition on its original site. Designed by Arkansas' leading architect at the time of its construction in 1891-92, the Ragland House is an excellent example of Victorian architecture.

SIGNIFICANCE

F -	D	AREAS OF SIGNIFICANCE CHECK AND JUSTIFY BELOW			
	STORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
_140	J-1499	_ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	SCIENCE
1500	0-1599	AGRICULTURE	ECONOMIC\$	LITERATURE	SCULPTURE
1600	0-1699	X ARCHITECTURE	EDUCATION	MILITARY	\$OCIAL/HUMANITARIAN
1700	-1799	ART	ENGINEERING	MUSIC	THEATER
_X1800	-1899	XCOMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION
1900)-	COMMUNICATIONS	_INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)
			INVENTION		

SPECIFIC DATES

1891-92

BUILDER/ARCHITECT

Charles L. Thompson

STATEMENT OF SIGNIFICANCE

The Ragland House, located at 1617 Center in Little Rock's historic Quapaw Quarter District is an excellent example of eclectic Victorian architecture. Possessing elements of modified Queen Anne architecture in it's usage of a tower, textural variety, irregular shape and multiple gables and bays, the house is an architecturally significant structure in the city. Charles L. Thompson, noted Arkansas architect, was responsible for the design of the house. The majority of Thompson's structures were designed around the turn of the centruy and are basically classical in style. Thus the Ragland House is unusual in that it is one of his earlier designs and of modified Queen Anne architecture. In addition to its architectural merit, the Ragland House is significant in its association with the Urguhart family in whose hands the house remained from the time of its construction in 1891-92 until 1958.

The Ragland House was constructed for Margaret Urguhart Ragland and her husband, William H. Ragland. W. H. Ragland was a banker and stockbroker. A respected citizen of Little Rock, Ragland was appointed in 1891 to the Little Rock Democratic Executive Committee. Mr. and Mrs. Ragland moved to Alabama and in 1898, sold their house to Mrs. Ragland's parents, Edmond and Henrietta Urguhart.

Edmond Urguhart was born in Fort Henry, Ontario on April 5, 1834. His father Edward Urguhart was an officer in the British Army with the rank of quartermaster-general. Both Edward Urguhart and his wife, Elizabeth were natives of Wales. Edward Urguhart died in 1846. At the age of twelve, Edmond Urguhart was apprenticed to a forwarding and shipping firm in Hamilton, Ontario. He completed his apprenticeship six years later. At eighteen, Urguhart's early start in business proved advantageous in securing a job with the Great Western Railroad Company with whom he worked for three years. At the completion of his employment with the railroad, Urguhart established a shipping house in St. Catherine in Canada under the name of Urguhart and Bowen. There he built several vessels to engage in the booming Great Lakes grain trade. This business venture was so profitable that he moved to St. Louis, Missouri in 1861 where he worked with a distillery. He later moved to Memphis. At the end of the Civil War, Urguhart entered the hardware business and began the manufacture of cotton

Form No. 10-300a (Rev. 10-74)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY	F1. 194
RECEIVED	
DATE ENTERED	

CONTINUATION SHEET

ITEM NUMBER

PAGE

2

8

seed oil. He utilized an old government building in the Memphis Navy Yard and equipped it with special machinery for crushing and extracting oil from cotton seed. While in residence in Memphis, Urguhart helped found the Fourth National Bank and Home Insurance Company.

In 1876 Urguhart established a cotton seed oil mill in Little Rock on East Second Street. He became president of this company which was established under the name of the Little Rock Oil Company. This was among the pioneer cotton seed oil concerns in Arkansas. By 1880 he had established a total of eight mills, all of which he was president and by 1895 he was president of twelve oil seed companies, representing a capital of more than \$2 million.

All of Urguhart's companies and a few other cotton seed oil companies merged to form the American Cotton Oil Trust, the main office being in Little Rock with Urguhart subsequently becoming president. To manage the immensely expanded business, Urguhart moved to New York City were he stayed until he retired and moved back to Little Rock in 1903.

Besides his business success in the cotton seed oil business, Urguhart was Director of the First National Bank of Little Rock and was president and founder of the Ladies Building and Loan Association. Urguhart also owned several plantations along the Arkansas River. He also established the Varner Branch Railroad which connected his plantation and mills with the main railroads.

Edmond Urguhart and his wife, Henrietta, who he married in 1864, had three daughters, one of whom died in infancy. Built for one daughter, Mrs. W. H. Ragland, the house was sold in 1898 to Edmond and Henrietta Urguhart. Upon Urguhart's death in 1905, his second daughter and her husband, Mr. and Mrs. William H. Miller, moved into the house with Henrietta Urguhart. Mrs. Urguhart lived in the house until her death in 1932. Mr. Miller died shortly thereafter but Mrs. Miller lived in the house until her death in 1958. The house then went to a daughter of Mrs. Ragland from which point the house had three owners before the present owners purchased the house in 1975.

Architecturally, the Ragland House is one of the most important Victorian structures in Little Rock. The house also represents the family of a nationally prominent businessman. The Ragland House is a surviving structure of a gilded period of history in which architectural ornateness

Form	No.	10-300a
1	0-	74)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY	
RECEIVED	
DATE ENTERED	

CONTINUATION SHEET

ITEM NUMBER

PAGE 3

abounded and it was possible to achieve immense business success through diligence, honesty and intelligence.

MAJOR BIBLIOGRAPHICAL REFERENCES					
Arkansas Gazette, February 19. 1891. Arkansas Gazette, December 2, 1905.					
Arkansas Gazette, May 30, 1938.					
Hamilton, Wanda, Personal interviews at	_	d House, Little R	tock,		
Arkansas, April 22 and November 1, Quapaw Quarter Association. Ragland How					
Thomas, David Y., Ed. Arkansas and Its		ew York: The Ame	rican		
MOCEOCRAPHICAL DATA					
GEOGRAPHICAL DATA ACREAGE OF NOMINATED PROPERTY less than one ac	cre.				
UTM REFERENCES					
A 1,5 5 6,6 3,6,0 3,8 4,3 4,8,0	в1 , 1	11.1.277.	1.11		
ZONE EASTING NORTHING	ZONĘ	EASTING NO	RTHING		
VERBAL BOUNDARY DESCRIPTION	D				
VEHBAL BOONDARY DESCRIPTION					
* * ,*		agade raj.			
The Cold		್ಯಾತ್ರಿ ಕ್ಯೂಸ್ತರ್ಣ			
3.20 June 9	**	53 465			
LIST ALL STATES AND COUNTIES FOR PROPERTIE	ES OVERLAPPIN	NG STATE OR COUNTY 8	OUNDARIES		
STATE CODE	COUNTY		CODE		
STATE CODE	COUNTY		CODE		
III FORM PREPARED BY					
NAME / TITLE					
Sandra Tavlor, Historian					
ORGANIZATION Arkansas Historic Preservation I	Process	, DATE 12-14-76			
STREET & NUMBER	. LOGIAM	TELEPHONE			
Suite 500, Continental Building	, Main & Ma	rkhan 371-2763 STATE			
Little Rock,		Arkansas			
2 STATE HISTORIC PRESERVATION					
THE EVALUATED SIGNIFICANCE OF T					
NATIONAL STATE		LOCAL			
As the designated State Historic Preservation Officer for the Na	tional Historic.P	reservation Act of 1966 (Public Law 89-665), I		
hereby nominate this property for inclusion in the National Re- criteria and procedures set forth by the National Park Service.	gister and certif	y that it has been evalua			
STATE HISTORIC PRESERVATION OFFICER SIGNATURE Anne Ed	artley	1			
TITLE State Historic Preservation Off:	icer	DATE 12	2-14-76		
FOR NPS USE ONLY					
I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN	4 THE NATIONA	L REGISTER			
		DATE			
DIRECTOR, OFFICE OF ARCHEOLOGY AND HISTORIC PRE ATTEST:	SERVATION	DATE			
KE PER OF THE NATIONAL REGISTER					

